Vol. 38, No. 3

July 2006

SEXUAL OFFENDER UPDATE: LABELING IN TREATMENT—HELPFUL OR HARMFUL?

Lorraine R. Reitzel, Ph.D. — Contact: Ireitzel@houston.rr.com

In the community mental health setting, discussing a diagnosis with a patient is viewed positively. It gives a name to a myriad of symptoms the patient has been experiencing, explains the etiology of symptoms, presents some idea about time course of the disorder, suggests a treatment approach, and documented prevalence statistics may help the patient feel as though they are not alone in their struggle with the disorder. Lately, I've been wondering: do the same potentially positive effects hold true for individuals given the "label" of sexual offenders, or the "diagnosis" of pedophilia or another paraphilia? Or, is it possible that labeling this group of patients (with either the legal term or the diagnostic categorization) has negative consequences on both selfimage and treatment success?

Recent literature speaks to the issue of labeling for sexual offenders. For example, Marshall and colleagues (2005) discuss a framework for sexual offender treatment that focuses on the attainment of "good lives" for offenders. This approach seeks to instill hope by discussing offense behaviors as an inappropriate choice to achieve goals such as sexual satisfaction and intimacy, rather than an indicator of underlying character. This approach also works to change global feelings of shame to guilt about specific acts that do not have to be repeated in the future (Marshall et al., 2005). These authors propose that when clinicians label an individual as a sexual offender or (by extension) a paraphiliac in treatment, it suggests that the person is defined by these inappropriate acts. Put another way, the sexual offender label

may lead to internal, stable, and global attributions for problematic behavior (by either the offender, the clinician, or both), creating a less than ideal situation for change (Marshall et al., 2005). Thinking about it in this way suggests the minimization of labeling in sexual offender treatment might be best, so that patients can define themselves as "non-offenders" and work toward positive goals in keeping with this image (cf. Yates, 2005). This concept is not

"Is it possible that labeling this group of patients (with either the legal term or the diagnostic categorization) has negative consequences on both self-image and treatment success?"

new to relapse prevention: In smoking cessation treatment, smokers are encouraged to use their guit date as a point from which they consider themselves "non-smokers." When experiencing a craving, it is suggested patients tell themselves, "I do not need to smoke because I'm a non-smoker now." In essence, seeing themselves as non-smokers (or former smokers) is a part of their relapse prevention plan. Perhaps the same self-definitional emphasis on approach goals is important for sexual offenders in their relapse prevention progress, and the labeling of offenders may be part of that consideration (cf. from the juvenile literature (Thakker, Ward, &

(Continued on page 3)

AMERICAN ASSOCIATION FOR CORRECTIONAL & FORENSIC PSYCHOLOGY

The Correctional Psychologist is published every January, April, July and October, and is mailed to all American Association for Correctional & **Forensic Psychology** (AACFP) members. Comments and information from individual members concerning professional activities and related matters of general interest to correctional psychologists are solicited. The AACFP endorses equal opportunity practices and accepts for inclusion in The Correctional Psychologist only advertisements, announcements, or notices that are not discriminatory on the basis of race. color, sex, age, religion, national origin, or sexual orientation. All materials accepted for inclusion in The Correctional Psychologist are subject to routine editing prior to publication. Please send material for publication or comments to Dr. Robert R. Smith: smithr @marshall.edu.

President & Program Chairperson	John L. Gannon, Ph.D. Central Coast Consultancy 897 Oak Park Blvd., #124 Pismo Beach, CA 93449 (805) 489-0665 pres@aa4cfp.org David S. Glenwick, Ph.D. Department of Psychology Fordham University Bronx, NY 10458 (718) 817-3790			
Past President				
Representative American Correctional Association	John L. Gannon, Ph.D. Central Coast Consultancy 897 Oak Park Blvd., #124 Pismo Beach, CA 93449 (805) 489-0665			
Chair Practice Standards Committee	Richard Althouse, Ph.D. Wisconsin Dept. of Corrections 11 Kewaunee Court Madison, WI 53705 (608) 231-3962			
Secretary/ Treasurer	Terre K. Marshall Is In The Process of Moving To A New Professional Position— Please SeeTerre K. Marshall on Page 15			
Editor, Criminal Justice and Behavior	Curt Bartol, Ph.D. 216 Rector Road Glenville, NY 12302 (518) 377-1312			
The Correctional Psychologist Editors	Victor S. Lombardo, Ed.D., Associate Edito Special Education Program Marshall University Graduate College 100 Angus E. Peyton Drive South Charleston, WV 25303			
	Robert R. Smith, Ed.D., Executive Editor 625 Richardson Road Fortson, GA 31808 (706) 494-1168			

LABELING IN TREATMENT (Continued from page 1)

Tidmarsh, 2006).

In a recent analysis of the intensity of treatment provided as part of California's Sex Offender **Treatment Evaluation Program** (SOTEP), it was suggested that non-significant treatment effectiveness results for lower risk offenders might have been due to the receipt of too much treatment and supervision for their risk level (as cited in Looman, Dickie, & Abracen, 2005). Please note that, generally speaking, a non-significant treatment effect for low risk offenders may also reflect the very low base rate of re-offending in this group.

That is, offenders might have seen the intensity and duration of treatment as an indicator that they were much more at risk to re-offend than they actually were. Likewise, the intensity of supervision provided to this group after treatment could have reinforced the need for extensive external monitoring in order to prevent recidivism (as cited in Looman. et al., 2005). Looman and colleagues (2005) suggest that this could have resulted in an unnecessary personal identification as a sexual offender, as opposed to a selfimage as an individual who has a history of acting in sexually inappropriate ways. In future high-risk situations, individuals who see themselves as sexual offenders may be at increased risk for engaging in sexually inappropriate behaviors. Alterna-

tively, those who see themselves needing to change behaviors, as opposed to changing themselves as a person, may be more likely to practice relapse prevention techniques (Looman et al., 2005). Looman and colleagues (2005) state, "maintaining some semblance of an identity that does not fully embrace the label of sex offender is important in preventing further sexually assaultive behaviors" (p. 343). Consider this - when many treatment programs contain the phrase "sexual offender" in their title, what is being conveyed to those getting treatment in those programs about who they are? Moreover, whereas acceptance of a sexual offender label was previously viewed as an indicator of treatment progress (i.e., increased accountability and responsibility), recent research suggests that acceptance of this label (i.e., admission/disclosure of sexual crimes and endorsement of need for therapy) may have no connection with sexual recidivism risk (cf. Hanson & Morton-Bourgon, 2005).

Of course, diagnosis and labeling have an important purpose in psychology. For example, diagnosis enhances communication between clinicians and enables research to hone in on discrete constructs. However, the importance of labeling and diagnosis in the treatment process between a sexual offender and clinician is less certain. As correctional clinicians providing treatment, we play the ultimate role in how offenders define themselves and view the relapse prevention process. It might be time for the field to more thoroughly examine and discuss the impact of labeling on offenders' treatment, especially in light of recent research suggesting the importance of attention to risk, need, and responsivity principles in treatment (CJI, 2004), as well as the importance of a comparatively gentler, less confrontational approach to treatment for the prevention of recidivism than was the case a decade ago (Schwartz, 2003).

REFERENCES

Crime and Justice Institute (CJI, 2004). Implementing evidence-based practice in community corrections: The principle of effective intervention. (National Institute of Corrections Publication No. 019342). Washington, DC: Department of Justice.

(Continued on page 4)

THE CORRECTIONAL PSYCHOLOGIST IS NOW AVAILABLE ON THE INTERNET Visit our website at WWW.aa4cfp.org

LABELING IN TREATMENT (Continued from page 3)

- Hanson, R.K., & Morton-Bourgon, K.E. (2005). The characteristics of persistent sexual offenders: A metaanalysis of treatment studies. Journal of Consulting and Clinical Psychology, 73, 1154-1163.
- Looman, J., Dickie, I., & Abracen, J. (2005). Responsivity issues in the treatment of sexual offenders. *Trauma, Violence, & Abuse, 6*, 330-353.
- Marshall, W. L., Ward, T., Mann, R. E., Moulden, H., Fernandez, Y. M., Serran G.,

- & Marshall, L.E. (2005). Working positively with sexual offenders: Maximizing the effectiveness of treatment. *Journal of Interpersonal Violence, 20,* 1096-1114.
- Schwartz, B. K. (2003). Overview of rehabilitative efforts in understanding and managing sexually coercive behaviors. Annals of the New York Academy of Sciences, 989, 360-383.
- Thakker, J., Ward, T., & Tidmarsh, P. (2006). A reevaluation of relapse prevention

GOOD NEWS FOR MEMBERS— CONTACT SAGE DIRECTLY

As part of our continuing effort to improve service for our members, we have made arrangements with Sage Publications to manage our membership enrollments and renewals.

You are always welcome to contact Dr. John Gannon (pres@aa4cfp.org) or our accountant Mr. James Charlton - james@charltonassoc.com regarding Association matters. However, the quickest way to resolve difficulties regarding missed journals and newsletters or membership status will now be to contact Mr. Ryan Watson at Sage Publications directly. *By Mail:* Mr. Ryan Watson AACFP Association Liaison Sage Publications 2455 Teller Road Thousand Oaks, CA 91320

By Phone: Mr. Ryan Watson 805-410-7528

By e-mail: ryan.watson@sagepub.com

By Fax: 805-499-0871 (Attn: Mr. Ryan Watson) with adolescents who sexually offend: A good-lives model. In H. E. Barbaree and W. L. Marshall's (Eds.). *The juvenile sex offender* (2nd edition), (pp. 313-335). New York: The Guilford Press.

Yates, P. M. (2005). Pathways to treatment of sexual offenders: rethinking intervention. *The Forum*, *17*, 1-9.

2006 ELECTIONS

The Board of Directors is pleased to submit the following names in nomination as AACFP candidates for President (2 years) Dr. Lorraine R. Reitzel, for President-Elect (2 vears) Dr. Richard Althouse, and for Secretary/Treasurer (3) vears) Mr. David Randall. No other nominations have been received. It is the consensus of the Board that these nominees are well qualified to provide leadership to the Association. Brief statements from each are included on pages 14 and 15 for your review.

Take a few more minutes to complete the ballot on page 13 and mail it to: AACFP Elections, P.O. Box 7642, Wilmington, NC 28403. Ballots will be counted by our accounting firm, Charlton Associates, and the results will be published in the October 2006 issue of *TCP*. Successful candidates will take office on January 1, 2007.

HANSON'S STABLE DYNAMIC FACTORS: CONSEQUENCES OF EARLY ABUSE

Jay Adams, Ph.D. — Contact: jayklaus@msn.com

The expanding literature on the long-term sequelae of childhood abuse can help us to treat sex offenders more effectively. Moreover, an understanding of early childhood trauma can go a long way in reducing the counter-transference which many therapists experience in working with this population. Virtually all the sex offenders I have worked with in the past 25 years have had some history of sexual and/or physical abuse. Hanson (1999) reports that in file reviews of 409 sexual offenders, he found that 75% had been victims of some form of child abuse, physical, sexual, or neglect. These findings are not incongruent with those of other researchers (e.g., Graham, 1996; Lisak, 1997).

Moreover, there is ample evidence in the literature on adult survivors of child abuse to suggest that research findings may actually be under-estimates. Courtois (1988) found that 50% of female incest victims in therapy do not initially reveal their abuse history. Both she and Sgroi (1989) have noted a variety of reasons why clients do not report a history of sexual abuse. Men in our society are even less likely than women to report a history of sexual abuse, for a variety of reasons, including shame, stigmatization and sexual identity confusion (Vasington, 1989). The persistent evidence in the abuse survivor literature of client denial or omission of abuse history challenges the accuracy of Hanson and Bussiere's (1998) findings that a history of childhood sexual abuse was unrelated to sexual re-offense risk. In contrast, another study (Hanson & Harris, 1998), used official rec-

"Virtually all the sex offenders I have worked with in the past 25 years have had some history of sexual and/or physical abuse."

ords of physical, sexual or emotional abuse and whether the offender had ever been taken into the care of child protective services, rather than self-report. This study found that the early backgrounds of sexual recidivists were significantly worse than those of non-recidivists in terms of abuse, neglect, and placement.

Most sex offenders can best be understood as a sub-group of individuals who have been abused as children, and who have reacted in a manner not unlike other child abuse survivors. Hanson (1999) suggests that a history of abuse may result in a schema or "core belief" among sex offenders that "given all his hard luck, the world owes him something" (p.83). While this may apply to some individuals, the relationship between childhood victimization and later sex offender behavior is actually much more complex and multifaceted. Hanson et al. (1998) have identified a number of "stable dynamic factors" which offer promise to therapists interested in changing sex offender behavior. These factors include intimacy deficits, negative peer influences, attitudes tolerant of sexual offending, problems with emotional/sexual self-regulation, and general self-regulation. Although not identified as such by Hanson et al. (1998), these are all among the long-term consequences of early childhood abuse.

Intimacy deficits, negative peer influences

Difficulty in forming and maintaining intimate relationships is perhaps the hallmark symptom of a history of child abuse. Briere (1992) has des-(Continued on page 6)

CONSEQUENCES OF EARLY ABUSE (Continued from page 5)

cribed adult abuse survivors as displaying ambivalence and fear regarding attachment and vulnerability, impaired ability to trust, increased anxiety as closeness increases, expectations of re-victimization, and a need to push others away and sabotage relationships. Virtually every writer in the field cites adult intimacy problems as common among adults abused as children (e.g., Courtois, 1988; Jehu, 1989; Gil, 1988; Lew, 1988). Closely related is the need for control cited by numerous writers (McCann et al., 1988; Sgroi, 1989; Evans & Sullivan, 1995; Briere, 1996) as a preoccupation of many survivors of child abuse. The control dynamics of both rape and child molestation have been widely recognized. Hanson (1999) notes, "For some sexual offenders, the act of forcing, controlling and degrading the victim is perceived as more rewarding than any of the sexual elements of the offense" (p.86). For some offenders, fear of adults and fear of loss of control may be as prominent in their offending behavior as deviant arousal.

Moreover, Hanson's second factor, negative peer influences, appears to be closely related to fear of adult intimacy. Individuals with profound selfesteem problems stemming from a history of abuse do not feel comfortable relating to people who feel good about "So where do child molesters acquire attitudes that support their deviant behavior? The answer may be that their own histories of sexual abuse also laid the groundwork for attitudes tolerant of molesting children."

themselves. This increases the likelihood that they will choose to spend time with people like themselves. Relationships based on substance abuse are particularly attractive because they are superficial and require little true closeness. These factors need to be assessed carefully and their origins explored at an emotional level in sex offender treatment.

Attitudes tolerant of sexual offending

Societal attitudes tolerant of rape have been well researched by Malamuth (1981, 1986), who found that an astoundingly high percentage of male college students (more than 60%) acknowledged that they would engage in an act of forced sex if they knew they would not be caught. Movies, lyrics of pop music, and other aspects of our culture are replete with messages that condone rape. Moreover, many of the rapists I have encountered in my forensic clinical practice have been sexually abused by women, which likely also contributes sig-

nificantly to their later attitudes regarding women. But our society is generally far less tolerant of the sexual abuse of children. So where do child molesters acquire attitudes that support their deviant behavior? The answer may be that their own histories of sexual abuse also laid the groundwork for attitudes tolerant of molesting children. It is an almost universal victim belief that he or she is to blame for the abuse. or somehow deserved it (Courtois, 1988). Individuals of both genders whose childhood sexual violation has gone untreated often express self-damning sentiments such as "I must have been seductive and provocative when I was young" and "I did not physically resist, so I must have wanted to have sex" (Jehu, 1989). Self-blame stems in part from childhood egocentricity, but may also be a way of maintaining an illusion of control. "The victim may choose to believe that 'I got what I deserved' as opposed to the potentially more frightening notion that violence is random and unjust. and that one cannot do things to avoid being victimized" (Briere, 1996, p.15). It is far too threatening for a child victim to believe that his parent is wrong or bad. It is not uncommon, moreover, for victims to be given direct, overt messages by perpetrators that they are responsible for their

(Continued on page 7)

CONSEQUENCES OF EARLY ABUSE (Continued from page 6)

own abuse.

Sgroi (1989) has noted that many sexual abuse survivors in treatment go through a secondary phase of denial which is designed to reduce their feeling that they are "damaged goods": "Having acknowledged the reality of the abuse in the first stage of recovery, the survivor now attempts to minimize the significance of the abuse in order to shield herself or himself from experiencing the emotional pain" (p.120). This is perfectly consistent with the view often expressed by child molesters that having sex with children "doesn't really hurt them." It is the offender's selfblame, self-loathing, and denial of harm, stemming from his own unresolved sexual victimization history, which both allows and drives him to create more sexual victims. Again, this is a connection that must be made conscious in treatment and extensively worked through.

Attitudes tolerant of sexual offending are maintained by the inability to feel empathy, or imagine what the victim is experiencing. Empathy for others cannot exist without empathy for the self. This has been confirmed by research in the field of attachment theory. Main and George (1985) found that a group of toddlers known to have been abused, when in proximity to a distressed peer, reacted with agitation and aggression. In contrast, nonabused toddlers reacted with sympathy and comfort. Lisak (1997) examined the relationship between empathy for the self and empathy for others. He concludes, "A number of studies lend support to the link between people's capacity to tolerate their own distressful emotions and their capacity to empathize with others in distress....These findings suggest that there is a relationship between a person's capacity to experience and express their own painful emotions and the capacity to respond sympathetically to the emotional pain of another person" (pp.166-167). He further suggests that, because of the way in which men are socialized in our culture, males are less likely to be able to process their sexual abuse and are therefore more likely to become perpetrators.

Individuals who attain a secure attachment bond with their primary caretaker in the first 2 years of life develop the capacity for empathy. If they are abused at a later age, they may develop a host of other symptoms, and they may even experience deviant arousal, but empathy prevents them from "acting out." In contrast, individuals who begin life insecurely attached to their primary caregiver do not develop empathy. If they encounter later abuse, there is no feeling of connection with others to mitigate violent or sexually aggressive impulses. Moreover, attachment research has found that insecurely attached adults may change their attachment status as a result of a long-term relationship with an adult who is securely attached. Hanson and Bussiere (1998) concluded that, "A negative clinical presentation (e.g., low remorse, denial, low victim empathy) was unrelated to sexual recidivism" (p.357). However, many treatment modules designed to increase victim empathy are primarily cognitive and put little or no emphasis on the perpetrator's own abuse experiences. They may teach offenders "appropriate" verbal responses that have nothing to do with change at an emotional level.

Difficulties with emotional/ sexual self-regulation

Hanson et al. (1998) next cite "problems with emotional / sexual self-regulation" as an important stable dynamic risk factor. Van der Kolk et al. (1996) have contended that the intrusive and numbing symptoms which define PTSD in DSM-IV are really only a part of the clinical picture of the lasting effects of early trauma. "The combination of chronic dissociation, physical problems for which no medical cause can be found, and a lack of adequate self-regulatory processes is likely to have a profound impact on personality dev-

(Continued on page 8)

CONSEQUENCES OF EARLY ABUSE (Continued from page 7)

elopment" (p.86). These effects were more pronounced in subjects who had experienced trauma before the age of 14. Van der Kolk et al. (1996) conclude: "This study supports and amplifies the existing body of research that has demonstrated an intimate association between the diagnoses of PTSD. dissociation, somatization, and a variety of problems with affect regulation, including difficulties with modulating anger and sexual involvement, as well as aggression against the self and others" (p.89).

Hanson (1999) asserts that "Deviant sexual schema gain their power from their sense of urgency" (p.86). This sense of urgency may, in the cases of those who were sexually abused early and severely, be based in neurobiology, as a result of how the young child's brain is affected by, and subsequently processes, trauma (Schore, 1997; Siegal, 1999). The rapidly growing body of trauma literature has important implications for sex offender treatment. An offender who suffers from extreme emotional lability, whose emotions are experienced more intensely, and who interprets emotional arousal in terms of past rather than current events is very likely to become overwhelmed when in the throes of strong negative emotions. Such a person will have difficulty applying a set of complex cognitive strategies,

no matter how well he may have learned relapse prevention or how motivated he may be to change his behavior. For some sex offenders, specifically those who have suffered significant early abuse, more treatment time may be required in which to correct affect dysregulation, using the techniques developed by Linehan (1993) and requiring a great deal of repetitive practice to effect lasting change.

Difficulties with general self-regulation

The fifth and final stable dynamic factor identified by Hanson (1999) as significantly related to sex offender recidivism is problems with general selfregulation, which is obviously closely related to the preceding factor. It is defined by Hanson et al. (1998) as "poor self-control and the inability to follow the conventions of society" (p.3). It has to do with the offender's performance while under community supervision and his overall ability to plan ahead rather than acting impulsively, e.g., not quitting a job without first having another job.

Current public policy has greatly increased stress on sex offenders, drastically limiting their ability to find employment and housing. Megan's Laws have created the additional stress of public humiliation and in some case, physical danger. Moreover, adult survivors of abuse frequently have problems with authority, especially if the authority figure reminds them of their abuser(s). A parole agent who confronts them in a punitive, accusatory manner is likely to trigger rebellion and antisocial behavior, not cooperation and compliance. Early abuse actually affects how the child's brain is wired, causing deficits in his ability to modulate emotions and handle stress. These changes at the neurobiological level play a crucial role in what Hanson (1999) refers to it as "deviant sexual schema." Treatment which remains at a purely cognitive level and ignores the importance of affective components and the therapeutic relationship will result in limited therapeutic success. Legislation which puts ever increasing pressure on sex offenders exacerbates the problem, creating an even greater risk of recidivism.

REFERENCES

- Briere, J. (1992). Child abuse trauma: Theory and treatment of the lasting effects. Newbury Park, CA.: Sage Publications.
- Briere, J. (1996). Therapy for adults molested as children: Beyond survival. New York: Springer Pub lishing Co.
- Courtois, C. (1988). *Healing the incest wound.* New York: W.W. Norton.
- Evans, K., & Sullivan, J. M. (1995). *Treating addicted (Continued on page 9)*

CONSEQUENCES OF EARLY ABUSE (Continued from page 8)

survivors of trauma. New York: GuilfordPress.

- Gil,E. (1988). *Treatment of adult survivors of childhood abuse.* Walnut Creek, CA.: Launch Press.
- Graham, K. (1996). The childhood victimization of sex offenders: An underestimated issue. International Journal of Offender Therapy and Comparative Criminology, 40, 192-203.
- Hanson, R. K. (1999). Working with sex offenders: A personal view. *The Journal of Sexual Aggression, 4,* 81-93.
- Hanson, R. K., & Bussiere, M.T. (1998). Predicting relapse: A meta-analysis of sexual offender recidivism studies. Journal of Consulting and Clinical Psychology, 66, 348-362.
- Hanson, R. K., & Harris, A.J.R. (1998). *Dynamic predictors of sexual recidivism.* (User Report 1998-01). Ottawa: Solicitor General of Canada.
- Jehu, D. (1989). Beyond sexual abuse: Therapy with women who were childhood victims. New York: Wiley & Sons.
- Lew, M. (1988). *Victims no longer.* New York: Nevraumont Publishing Co.
- Linehan, M.M. (1993). Cognitive behavorial treatment of borderline personality disorder. New York: Guilford Press.
- Lisak, D. (1997). Male gender socialization and the perpetration of sexual abuse. In R. Levant & G. Brooks


(Eds.), *Men and sex: New psychological perspectives.* (pp. 157-177). New York: John Wiley & Sons.

- Main, M., & George, C. (1985). Response of the abused and disadvantaged toddlers to distress in age mates: A study in the daycare setting. *Developmental Psychology, 21,* 407-412.
- Malamuth, N.M. (1986). Predictors of naturalistic sexual aggression. *Journal of Personality and Social Psychology, 30,* 953-962.
- Malamuth, N.M. (1981). Rape proclivity among males. *Journal of Social Issues, 37*, 138-157.
- McCann, L., Pearlman, L.A., Sackheim, D.K., & Abrahamson, D.K. (1988). Assessment and treatment of the adult survivor of childhood sexual abuse within a schema framework. In S.M. Sgroi (Ed.), *Vulnerable populations,* Vol. 1 (pp. 77-101). Lexington, MA: Lexington Books.
- Schore, A. N.(1997). Early organization of the nonlinear right brain and development of a predisposition to psychiatric disorders. *Development and Psychopathology*, *9*, 595-631.
- Sgroi, S. M. (1989). Stages of recovery for adult survivors of child sexual abuse. In S.M. Sgroi (Ed.), *Vulnerable populations*, Vol. 2 (pp. 111-130). Lexington, MA: Lexington Books.
- Siegal, D. (1999). The developing mind toward a neurobiology of interpersonal experience. New


York: Guilford Press.

- van der Kolk, B., Pelcovitz, D., Roth, S., Mandel, F.S., Mc Farlane, A., & Herman, J. (1996). Dissociation, somatization, and affect dysregulation: The complexity of adaptation to trauma. *American Journal of Psychiatry, 153,* 83-93.
- Vasington, M.C. (1989). Sexual offenders as victims: Implications for treatment in therapeutic relationships. In S.M. Sgori (Ed.). *Vulnerable populations,* Vol. 2 (pp. 329-350). Lexington, MA: DC Heath & Company.

Related Book Titles from SAGE Publications



ISBN: 0-7619-2976-2 **Hardcover:** \$39.95 **Pub Date:** January 2006



ISBN: 1-4129-1369-1 **Hardcover:** \$125.00 **Pub Date:** December 2005

Children, Adolescents, and Media Violence

A Critical Look at the Research

AUTHORED BY: Steven J. Kirsh, SUNY Geneseo

Children, Adolescents, and Media Violence provides a comprehensive review and critique of the literature related to media violence in all its forms during childhood and adolescence. Special attention is paid to evaluating the role of the development processes in media violence research and to stressing the importance of methodology in understanding that research. The developmental analysis taken by the author allows for the identification of age-related gaps in the literature and helps students to become critical consumers of research. The book provides the most comprehensive overview available of the effects of media violence on children and adolescents.

Handbook of Children, Culture, and Violence

AUTHORED BY: Nancy E. Dowd, University of Florida Levin College of Law Dorothy G. Singer, Yale University Robin F. (Fretwell) Wilson, University of Maryland, School of Law

Questions relating to violence and children surround us in the media: Should V-chips be placed in every television set? How can we prevent another Columbine school shooting from occurring? How should pornography on the internet be regulated? Dowd's **Handbook of Children, Culture and Violence** addresses these questions and more, providing a comprehensive, interdisciplinary examination of childhood violence that considers children as both consumers and perpetrators of violence, as well as victims of it. The Handbook offers much-needed empirical evidence that will help inform debate about these important policy decisions. Moreover, it is the first single volume to consider situations when children are responsible for violence, rather than focusing exclusively on occasions when they are victimized.

For more product details or to request review copies, visit www.sagepub.com!



SAGE Publications Inc. 2455 Teller Road • Thousand Oaks, CA 91320, U.S.A. Tel: (800) 818-7243 • (805) 499-9774 Fax: (800) 583-2665 • (805) 499-0871 Email: journals@saaceoub.com SAGE Publications Ltd. 1 Oliver's Yard, 55 City Road • London EC1Y 1SP, U.K. Tel: +44 (0)20 7324 8500 Fax: +44 (0)20 7324 8600 Email: subscriptions@sagepub.co.uk

SEMINARS WITH REBECCA HAUSERMAN SPONSORED BY PESI HEALTHCARE SEPTEMBER 28, 2006 OR SEPTEMBER 29, 2006

Health Care Challenges for the Correctional Environment

September 28, 2006 Brookfield WI or September 29, 2006 Joliet IL •8:00 am - 4:00 pm \$169 per person. Both sites.

•Discounts for groups of five or more

•On-line brochure available at www.pesi.com

•Register on-line at www.pesi.com •Register by phone 1-800-843-7763

•Audience: Nurses, Physician Assistants, Nurse Practitioners, Clinical Nurse Specialists

Outline

Professionalism

•The critical balance between treatment and custody

•Ethical issues

- •MRSA, Hepatitis C, HIV, TB, Avian Flu
- •Hand hygiene
- •Antibiotic resistance

Inmate Access to Medical Care

- •ACA, NCCHC requirements
- Aging population
- •Chronic care clinics

Inmates With Mental Illness

- •Assessment and monitoring
- Psychiatric medications
- •Suicide
- •Crisis intervention teams

Legal Issues

- •Key elements of medical malpractice and general negligence
- •Red flags for medical record tampering
- •HIPAA in the correctional setting
- Defensive documentation

Dealing With Conflict

- •Effects of unresolved conflict
- •Types of difficult behavior and goals for dealing with each behavior
- •Practical strategies for resolving conflict

Objectives

- •Learn how to maintain professionalism and the balance between treatment and custody.
- •Describe infection control procedures for MRSA, Hepatitis C, HIV and TB.
- •List steps for preventing blood body fluid exposures.
- •Discuss chronic care clinics as an element of inmate access to medical care.
- Identify and manage the primary psychiatric diagnoses found in the inmate population.
- •State how to assess inmates

Biography

Rebecca Hauserman, RN, BC, MSN, CLNC, EMT-B has been a psychiatric nurse for over 30 years. She is currently the Behavioral Health Educator & CISM Coordinator at St. Rita's Medical Center in Lima, OH. She is also adjunct faculty for the nursing program at Rhodes State College in Lima, OH. She is certified in psychiatric and mental health nursing, as well as legal nurse consultant. She has worked in numerous psychiatric settings including a state psychiatric hospital, prison psychiatric hospital, general hospital and community mental health center. At the prison psychiatric hospital she worked as a staff nurse, nurse educator. nurse supervisor, multi-disciplinary treatment team coordinator and infection control nurse.

PESI IS A PROVIDER OF CONTINUING EDUCATION SEMINARS, CONFERENCES, AND TELESEMINARS.

Journals in Clinical Psychology from SAGE Publications




Frequency: Quarterly **ISSN:** 1073-1911 **Volume:** 13 (2006)

Assessment

EDITOR: Yossef S. Ben-Porath, Kent State University

Keep abreast of the current research with **Assessment**—the journal that brings you important articles derived from psychometric research, clinical comparisons, theoretical formulations and literature reviews that fall within the broad domain of clinical and applied psychological assessment. The journal presents information of direct relevance to the use of assessment measures, including the practical applications of measurement methods, test development and interpretation practices, and advances in the description and prediction of human behavior.

http://assessment.sagepub.com



Behavior Modification

EDITORS:

Michel Hersen, School of Professional Psychology, Pacific University Alan S. Bellack, University of Maryland

For 30 years, researchers, academics and practitioners in clinical psychology have turned to **Behavior Modification** for innovative and insightful research, reports, and reviews on applied behavior modification. Each issue offers successful assessment and modification techniques applicable to problems in psychiatric, clinical, educational, and rehabilitative settings, as well as treatment manuals and program descriptions. These practical features help you follow the process of clinical research and to apply it to your own behavior modification interventions.

http://bmo.sagepub.com

Frequency: 6 times a year **ISSN:** 0145-4455 **Volume:** 30 (2006)

For online access to the full text of these journals, recommend them to your library! (For an individual print subscription, visit each journal's homepage for details.)



SAGE Publications Inc. 2455 Teller Road • Thousand Oaks, CA 91320, U.S.A. Tei: (800) 818-7243 • (805) 499-9774 Fax: (800) 583-2665 • (805) 499-0871 Email: journals@saqepub.com SAGE Publications Ltd. 1 Oliver's Yard, 55 City Road • London EC1Y 1SP, U.K. Tel: +44 (0)20 7324 8500 Fax: +44 (0)20 7324 8600 Email: subscriptions@sagepub.co.uk

PEARSON ASSESSMENTS TEST CHOSEN FOR ITS QUICK RESULTS AND GROUP ADMINISTRATION

BLOOMINGTON. MN—June 13. 2006—Pearson Assessments today announced that the Delaware Department of Services for Children, Youth and Their Families (DSCYF) selected the BASI (Basic Achievement Skills Inventory) series of tests to assess learning outcomes of students in their school programs. The BASI tests are a versatile, multilevel, norm-referenced series of achievement tests that measure math. reading and language skills for children and adults.

The department provides educational services to approximately 350 students in 10 juvenile justice and mental health school programs at two detention centers. Previously, the assessment instrument they had been using could only be administered individually, requiring a lot of the teachers' time. Theresa Senio, Supervisor of DSCYF's Education Unit, recognized the need to be able to test these students' reading and math levels as a group.

"We need to assess these kids to give teachers useful information that they can employ to develop lesson plans and for student groupings," said Senio. "When I recognized how quickly students were moving through our facilities, we looked for an academic achievement test that would be more conducive to our needs and still meet the students' needs."


Senio arranged for her cen-

ters to participate in a pilot study. "I thought that it would be a great experience to pilot it without taking financial risk," said Senio. The teachers in the centers with the highest student turnover rates were especially pleased with the speed at which they received the test results.

The quick and useful test results, along with the ability to administer the tests to groups of students, convinced Senio to replace the individually administered achievement test the department had been using with the BASI tests. The department initially purchased a supply of the paper and pencil version, but now is migrating towards computer-based testing.

When new students arrive at the centers, teachers will admin-

ister the computer-based version of the BASI series in an orientation classroom with individual computers for each student. This will allow for group administration and the teachers will get an immediate readout on each student's learning outcomes. Senio says they plan to re-administer the tests to check student progress at least every 6 months, and as often as every 10-12 weeks in some cases. The reports will be kept in the students' files and when students return to their regular school, the reports will be shared with the sending school. More information about the BASI series is available at www.PearsonAssessments.com/tests/basi.htm.



CANDIDATE FOR PRESIDENT LORRAINE R. REITZEL, Ph.D.

My training is as a clinical psvchologist. I received my master's degree from East Carolina University in 1997, and my doctorate from Florida State University in 2005. I began working in corrections in 1997, and my experience includes clinical employment with the North Carolina and Florida state correctional systems, as well as two federal prisons in Texas. I have worked with various incarcerated populations, including adult males, adult females, and male juveniles. I have worked in a number of security settings, including medium and close custody prisons, a jail setting, and in two medical centers housing prisoners from an array of security levels. Although my correctional experience has been broad, I have a special interest in treatment and research with sexual offenders. My scientific publications reflect this special interest, as well as my interest in empirically supported therapies and treatment outcome research with underserved populations.

My association with AACFP began in the early 1990s. In addition to being a member, I have been a regular, quarterly contributor to the newsletter. The Correctional Psychologist, since 2001. These brief articles continue to reflect my special area of interest, work with sexual offenders, and are intended to keep the membership of AACFP up to date regarding topical areas of research that are relevant to practice in this subfield of correctional and forensic psychology. I also became involved with AACFP's iournal. Criminal Justice & Behavior, as an ad hoc reviewer beginning in 2001 and continuing to today.

My current affiliation is with the University of Texas, M. D. Anderson Cancer Center, in the Department of Health Disparities Research. My position is a researchbased fellowship that allows me to assist in the development and management of federally funded randomized clinical trials designed to explore effective treatments for smoking cessation with health disparities populations.

As president of AACFP, my first goal would be to obtain the requisite approval to offer Continuing Education (CE) credits for current AACFP activities (e.g., The Debate), and develop self-study programs (i.e., bookor journal-based) for CE credit that would be available for AACFP's membership. Mv second goal would be to establish standing Association committees (e.g., Membership, Awards) that would help to guide the future of AACFP. Additionally, in order to enhance our cohesiveness as an Association, I'd like to see us move toward the development of our own national research conference, and consider the establishment of an Association listserve, based on membership interest.

CANDIDATE FOR PRESIDENT-ELECT RICHARD ALTHOUSE, Ph.D.

I am currently a psychologist in the Wisconsin Department of Corrections. I obtained my Ph.D. in psychology from Penn State University in 1975. My professional experience includes 35 years of clinical experience with both juvenile and adult offenders, working in both correctional and forensic settings in either staff or supervisory positions. Over the years I have supervised correctional psychology interns, provided expert witness consultation and testimony in sex offender and suicide cases, and provided on-going training to both professional and correctional staff on a variety of topics, including ethics and suicide prevention programming.

From the early 1970s through the early 1990s, I was a member and later Fellow of the Wisconsin Psychology Association, founding and editing a newsletter specifically for psychologists in corrections settings, and actively promoting the interests of correctional psychologists in Wisconsin through the state psychology association's Division IV. More recently, I was fortunate to be able to contribute to the development of the

(Continued on page 15)

RICHARD ALTHOUSE, Ph.D. (Continued from page 14)

American Correctional Association and the National Commission of Correctional Health Care health and mental health practice standards. I am a member of the Advisory Board of the Mental Health in Corrections Consortium, and have both presented and contributed to panel discussions at their annual conference on numerous occasions.

I have been an active member and supporter of the American Association for Correctional and Forensic Psychology since 1997, and in 1998, I was invited by then President David Glenwick to chair the AACP Practice Standards Committee that revised the AACP's 1980 "Standards for Psychology Services in Jails and Prisons," published in *Criminal Justice and Behavior* (2000) as the "Standards for Psychology Services in Jails, Prisons, Correctional Facilities, and Agencies."

I am currently involved with AACFP's Ethics Hot Line, and am a contributing author to a series of articles regarding critical current issues in correctional psychology being prepared for publication. My current research interests include applying systems models to social issues, applying positive psychology to rehabilitative programming, and evidencebased rehabilitative programming.

I have been very enthusiastic about the growth of AACFP over the past 5 years, and I believe it fills a critical need for an association specifically for psychologists and other mental health professionals working in corrections settings. I would be pleased and honored to fill the office of President-Elect to help and support continued growth of the Association.

CANDIDATE FOR SECRETARY-TREASURER DAVID RANDALL, MA

I received my BS degree from Lee University, and I completed my graduate training at the University of South Florida, receiving an MA in rehabilitation counseling. I am currently enrolled in an MBA program at Walden University.

TERRE K. MARSHALL—

The Board regrets noting that our current Secretary/ Treasurer Terre K. Marshall will not be a candidate for office in this election. Terre has been extremely helpful to us during some difficult transitions, and Dr. Gannon and the entire Board express their appreciation for the important contributions she has made.

I have a background in chemical dependency treatment, working for Operation PAR, Inc. for approximately 7 years. Operation PAR is a comprehensive substance abuse/mental health treatment agency located in Pinellas County, Florida, During my years of employment with Operation PAR, I worked in various capacities including Program Supervisor of a 32 bed residential treatment program at Hillsborough Correctional Institution, Lalso served as the Clinical Director of an Adult TASC program and Department of Correction's outpatient program. While at the agency I was promoted to the position of agency Quality Management Coordinator.

In 1993, I began work for the Florida Department of Corrections. Most of my work with DC has been as a Psychological Specialist providing direct mental health care for mentally ill inmates within the institution. I have extensive experience working with co-occurring disorders, providing sex offender evaluation and treatment, and as a therapist in both inpatient and outpatient settings.

In 2004. I was selected for promotion to the Central Office of Health Services in Tallahassee. Florida. where I work directly for the Director of Mental Health Services. In my current position I am responsible for quality assurance and the coordination of the aftercare planning program for mentally ill inmates re-entering society. I collaborate with multiple federal, state, and community agencies that assist in the successful reintegration of mentally ill inmates back into their communities.

Robert R. Smith, Ed.D. *The Correctional Psychologist Executive Editor* 625 Richardson Road Fortson, GA 31808

JOIN US

AMERICAN ASSOCIATION FOR CORRECTIONAL & FORENSIC PSYCHOLOGY "THE VOICE OF PSYCHOLOGY IN CORRECTIONS"

The AACFP is a non-profit, educational organization in service to mental health professionals throughout the world. Many of our members are doctoral level psychologists, but neither a Ph.D. nor a degree in psychology is required for membership. If you are interested in correctional and forensic issues, we welcome you to the Association.

APPLICATION FOR MEMBERSHIP

Name:		ciatio	Application Date:	
Please check mailing preference:				
Home Forens	Agency	10100	51/	
Address:			27	
City/State/Zip				
Educational Achievement:				
Institution	Major	Degree	Year	
Brief Description of Work Experience:				

The memberships fee for AACFP is \$65.00 per year, paid at the time of enrollment or renewal. Membership includes four issues of our newsletter, The Correctional Psychologist, and six issues of AACFP's highly-ranked, official journal, Criminal Justice and Behavior. (CJ&B will be expanded to 12 issues per year beginning in January, 2007). Membership also includes electronic access to current and archived issues of over 65 journals in the Sage Full-Text Psychology and Criminology Collections.

The easiest way to join AACFP, or to renew your membership, is though our Internet website at www.aa4cfp.org. However, if you prefer, you may also join by mailing this form, with a check payable to AACFP, to our journal publisher, Sage Publications. The address is:

> Mr. Ryan Watson AACFP Association Liaison Sage Publications 2455 Teller Rd. Thousand Oaks, CA 91320

If you have questions about missing or duplicate publications, website access, or membership status, please contact Ryan Watson at ryan.watson@sagepub.com or at (805) 410-7528. You are also welcome to contact AACFP Executive Director John Gannon at pres@aa4cfp.org or at (805) 489-0665.